

View Online at <https://aerobasegroup.com/nsn/3020-00-009-4036>

**Body Style:**

Webbed, offset, solid

**Attachment Method:**

Clamp

**Pitch Diameter:**

Between 1.1240 inches and 1.1250 inches

**Teeth Quantity:**

72

**Bore Style:**

Plain first end

**Outside Diameter:**

1.154 inches

**Nominallength:**

0.350 inches

**Tooth Form:**

Standard

**Pressure Angle:**

20.0000 degrees

**Distance Between Body Face And Protruding Hub End:**

0.170 inches first end

**Body Recess Depth:**

0.080 inches first end

**Face Width:**

0.180 inches

**Bore Diameter:**

0.187 inches both ends

**Hub Style Designator:**

Split first end

**Hub Diameter:**

0.249 inches first end

**Clamping Surface Length:**

0.150 inches first end

**Precision Classification:**

Quality number 10 or quality number 11

**Special Features:**

One hole 0.125 in. Diameter on 0.400 in. Bolt circle through gear body

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-225/6, t4 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 1 military specification single treatment response

**Style Designator:**

Protruding hub, recessed body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A27300

**Mil-std (military Standard):**

Mil-a-8625 spec.