NSN 3020-00-012-3988

Between 1.4990 inches and 1.5000 inches

Spur Gear - Page 1 of 2

Body Style: Plain, solid

Mounting hole

Pitch Diameter:

Attachment Method:



View Online at https://aerobasegroup.com/nsn/3020-00-012-3988

	Teeth Quantity:
7	72
E	Bore Style:
F	Plain both ends
ľ	Mounting Hole Type And Quantity:
2	2 plain axially through hub, first end
(Outside Diameter:
1	1.541 inches
7	Tooth Form:
5	Standard
F	Pressure Angle:
2	20.0000 degrees
[Distance Between Body Face And Protruding Hub End:
(0.300 inches first end
F	Face Width:
(0.095 inches
E	Bore Diameter:
(0.187 inches both ends
ł	Hub Style Designator:
1	1 step first end
E	End Length:
(0.110 inches first end
F	Precision Classification:
(Quality number 10 or quality number 11
E	End Diameter:
(0.250 inches first end
F	First Step Length:
(0.190 inches first end
F	First Step Diameter:
(0.560 inches first end
ľ	Mounting Hole Diameter:
(0.112 inches axially through hub, first end
E	Bolt Hole Circle Diameter:
(0.188 inches axially through hub, first end
ľ	Material:
A	Aluminum alloy 6061

NSN 3020-00-012-3988

Spur Gear - Page 2 of 2



Material Specification

Qq-a-225/8, t6 federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A27300