## NSN 3020-00-012-5908

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-012-5908

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
3.0000 inches
Teeth Quantity:
144
Bore Style:
W/counterbore counterbore, first end
Mounting Hole Type And Quantity:
4 plain axially through flange
Outside Diameter:
3.0407 inches
Tooth Form:
Standard
Flange Diameter:
3.494 inches
Pressure Angle:
20.0000 degrees
Flange Thickness:
0.035 inches
Face Width:
0.105 inches
Bore Diameter:
2.8200 inches counterbore, first end
Distance Between Outer Body Face And Inner Flange Face:
0.347 inches
Counterbore Depth:
0.1870 inches counterbore, first end
Counterbore Diameter:
0.3260 inches counterbore, first end
Mounting Hole Diameter:
0.023 inches axially through flange
Bolt Hole Circle Diameter:
1.714 inches axially through flange and 1.720 inches axially through flange
Material:
Steel comp 303
Material Specification:
Qq-s-764 federal specification single material response
Surface Treatment:
Passivate

## NSN 3020-00-012-5908

Spur Gear - Page 2 of 2



Surface Treatment Speci
-------------------------

Mil-std-171, finish no.5.4.1 military standard single treatment response

**Style Designator:** 

Flanged end

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.