## NSN 3020-00-014-5736



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-014-5736 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.8740 inches and 1.8750 inches **Teeth Quantity:** 120 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 1.905 inches Nominallength: 0.265 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.200 inches first end **Face Width:** 0.065 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.375 inches first end

**Precision Classification:** 

Quality number 10 or quality number 11

**Mounting Hole Diameter:** 

0.069 inches transversely through hub, first end

Material:

Aluminum alloy 6061

## NSN 3020-00-014-5736

Spur Gear - Page 2 of 2



Qq-a-225/8, t6 federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A27300