NSN 3020-00-015-4354

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-015-4354

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.0835 inches
Teeth Quantity:
100
Bore Style:
W/counterbore counterbore, first end
Mounting Hole Type And Quantity:
3 plain axially through flange
Outside Diameter:
2.123 inches
Tooth Form:
Standard
Flange Diameter:
2.600 inches
Pressure Angle:
20.0000 degrees
Flange Thickness:
0.250 inches
Face Width:
0.125 inches
Bore Diameter:
1.904 inches counterbore, first end
Distance Between Outer Body Face And Inner Flange Face:
0.843 inches
Counterbore Depth:
0.220 inches counterbore, first end
Counterbore Diameter:
2.043 inches counterbore, first end
Mounting Hole Diameter:
0.060 inches axially through flange
Bolt Hole Circle Diameter:
2.480 inches axially through flange
-
Material:
Material: Steel comp 303
Steel comp 303

Passivate

NSN 3020-00-015-4354

Spur Gear - Page 2 of 2



Surface Treatment Speci

Mil-std-171, finish no. 5.4.1 military standard single treatment response

Style Designator:

Flanged end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.