NSN 3020-00-015-8615

Internal Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-015-8615

| Body Style: |
|---|
| Webbed, offset, with lightening holes |
| Spline Quantity: |
| 35 both ends |
| Pitch Diameter: |
| 5.0938 inches |
| Teeth Quantity: |
| 163 |
| Bore Style: |
| Involute spline both ends |
| Spline Pitch Diameter: |
| 1.7500 inches both ends |
| Hardness Rating: |
| 33.0 rockwell c and 38.0 rockwell c |
| Outside Diameter: |
| 5.508 inches |
| Nominallength: |
| 1.710 inches |
| Teeth Type: |
| Spur |
| Tooth Form: |
| Stub |
| Pressure Angle: |
| 20.0000 degrees |
| Face Width: |
| 0.330 inches |
| Bore Diameter: |
| 1.879 inches both ends |
| Hub Diameter: |
| 2.100 inches first end |
| Material: |
| Steel comp e4340 |
| Material Specification: |
| Mil-s-5000 military specification single material response |
| Surface Treatment: |
| Oxide |
| Surface Treatment Specification: |
| Mil-c-13924, class 1 military specification single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 3020-00-015-8615

Internal Gear - Page 2 of 2



| Demi | | | |
|------|--|--|--|
| | | | |
| | | | |

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-5000 spec.