## NSN 3020-00-017-3330

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-017-3330

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.3330 inches
Teeth Quantity:
16
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.374 inches
Nominallength:
0.312 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.187 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.275 inches first end
Material:
Copper alloy 360
Material Specification:
Qq-b-626 federal specification single material response
Surface Treatment:
Oxide

## NSN 3020-00-017-3330

Spur Gear - Page 2 of 2



Sty	ما	n	20	in	n	at.	۸r	
Oty:	Œ	$\boldsymbol{\mathcal{L}}$	C3	ıy	••	aι	vı	•

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300