Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-019-0173

Attachment Method:
Mounting hole
Pitch Diameter:
1.3541 inches
Teeth Quantity:
130
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.374 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 12
Special Features:
Mtg holes 90 degrees apart
Material:
Steel comp 303
Material Specification:
Mil-s-7720 military specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072 military specification single treatment response
Style Designator:
Protruding hub
Furnished Items And Quantity:
2 setscrew

NSN 3020-00-019-0173

Spur Antibacklash Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.

