## NSN 3020-00-022-2873

Between 1.5823 inches and 1.5833 inches

Spur Gear - Page 1 of 2

**Body Style:** Plain, solid

Clamp

**Attachment Method:** 

Pitch Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-022-2873

Teeth Quantity:
76
Bore Style:
Plain both ends
Outside Diameter:
1.624 inches
Nominallength:
0.405 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.312 inches first end
Face Width:
0.093 inches
Bore Diameter:
0.241 inches both ends
Hub Style Designator:
1 step first end
Clamping Surface Length:
0.270 inches first end
End Length:
0.2700 inches first end
Precision Classification:
Quality number 10 or quality number 11
End Diameter:
0.313 inches first end
First Step Length:
0.0420 inches first end
First Step Diameter:
0.370 inches first end
Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416 cond a federal specification single material response

## NSN 3020-00-022-2873

Spur Gear - Page 2 of 2



$\overline{}$			-			
<b>~</b> I	ırfa	ഫ	ırc	natr	nΔn	

Passivate

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300