NSN 3020-00-023-7051



0-00-023-7051

| Spur Gear - Page 1 of 2 |
|---|
| View Online at https://aerobasegroup.com/nsn/3020-00-023- |
| Body Style: |
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 1.1250 inches |
| Teeth Quantity: |
| 54 |
| Bore Style: |
| Plain both ends |
| Mounting Hole Type And Quantity: |
| 2 plain axially through body, first end |
| Outside Diameter: |
| 1.167 inches |
| Nominallength: |
| 0.398 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.113 inches second end |
| Face Width: |
| 0.095 inches |
| Bore Diameter: |
| 0.187 inches both ends |
| Hub Style Designator: |
| Plain second end |
| Hub Diameter: |
| 0.560 inches second end |
| End Length: |
| 0.110 inches first end |
| End Diameter: |
| 0.250 inches first end |
| First Step Length: |
| 0.080 inches first end |
| First Step Diameter: |
| 0.560 inches first end |
| Mounting Hole Diameter: |
| 0.110 inches axially through hub, first end |
| Bolt Hole Circle Diameter: |
| 0.375 inches axially through hub, first end |

NSN 3020-00-023-7051

Spur Gear - Page 2 of 2



Special Features:

First end hub style no. 4

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8, t6 federal specification single material response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300