NSN 3020-00-028-6937

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-028-6937

Body Style:
Body Style: Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.0833 inches
Teeth Quantity:
130 Bore Style:
Plain both ends
Backlash Designation:
Grade e
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.099 inches
Nominallength:
0.281 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.189 inches first end
Face Width:
0.092 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.312 inches first end
Precision Classification:
Quality number 11
Special Features:

Mounting hole first end transversely through hub

NSN 3020-00-028-6937

Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416, cond t federal specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No