## NSN 3020-00-033-2109

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-033-2109

## Spline Major Diameter:

Between 2.248 inches and 2.250 inches

**Outside Diameter:** 

Between 5.205 inches and 5.221 inches

**Overall Length:** 

Between 1.872 inches and 1.878 inches

**Spline Quantity:** 

10

#### **Spline Minor Diameter:**

Between 1.933 inches and 1.935 inches

Pitch Diameter:

Between 4.359 inches and 4.375 inches

**Face Width:** 

Between 1.398 inches and 1.407 inches

**Design Form:** 

Plain

#### **Bore Type:**

Straight spline

## **Metallic Hardness Rating And Location:**

35.0 rockwell c hub and 50.0 rockwell c hub

Spline Length:

Between 1.872 inches and 1.878 inches

Counterbore Feature:

Not included

## **Lightening Hole:**

Not included

## **Protruding Hub Characteristic:**

Plain

#### Belt/chain/film Size For Which Designed:

Roller chain

## **Roller Chain Pitch Type For Which Designed:**

Single pitch

## **Teeth Row Quantity:**

. .

#### **Center To Center Distance Between Teeth Rows:**

Between 0.558 inches and 0.568 inches

**Teeth Quantity Per Row:** 

31

## Asa Standard Chain Number:

H-40

#### **Hardness Rating Test Method:**

Rockwell

# **NSN 3020-00-033-2109** Sprocket Wheel - Page 2 of 2



Teeth Hardness Rating:
Between 35.0 rockwell c and 50.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
2.750 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.232 inches both ends and 0.240 inches both ends
Material:
Steel, aisi 1020
Material:
Steel comp 1020
Material Specification:
Aisi 1020 assn standard single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c