NSN 3020-00-033-2110

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-033-2110

S	pline	Ma	ior	Dia	mete	r:
_	• • • • • •		,			

Between 2.248 inches and 2.250 inches

Outside Diameter:

Between 6.815 inches and 6.831 inches

Overall Length:

Between 1.872 inches and 1.878 inches

Spline Quantity:

10

Spline Minor Diameter:

Between 1.933 inches and 1.935 inches

Pitch Diameter:

Between 5.952 inches and 5.968 inches

Face Width:

Between 1.398 inches and 1.407 inches

Design Form:

Webbed

Bore Type:

Straight spline

Spline Length:

Between 1.872 inches and 1.878 inches

Counterbore Feature:

Not included

Lightening Hole:

Included

Protruding Hub Characteristic:

Plain

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

3

Center To Center Distance Between Teeth Rows:

Between 0.558 inches and 0.568 inches

Teeth Quantity Per Row:

11

Asa Standard Chain Number:

E-40

Hardness Rating Test Method:

Not rated

Bore Bearing:

Not included

NSN 3020-00-033-2110 Sprocket Wheel - Page 2 of 2



Hub External Keyway:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
3.000 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.232 inches aa end and 0.240 inches aa end
Material:
Iron, cast
Material:
Iron cast
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c