# NSN 3020-00-033-6847

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-033-6847

# **Body Style:**

Webbed, with lightening holes

## Pitch Diameter:

Between 1.7907 inches and 1.7917 inches

# Teeth Quantity:

43

# Bore Style:

W/ keyway both ends

## Hardness Rating:

33.0 rockwell c and 43.0 rockwell c

## **Outside Diameter:**

1.867 inches

## Tooth Form:

Standard

## **Pressure Angle:**

20.0000 degrees

# Distance Between Body Face And Protruding Hub End:

0.184 inches first end

## Body Recess Depth:

0.124 inches second end

# Face Width:

0.315 inches

# Bore Diameter:

0.314 inches both ends

## Keyway Width:

0.096 inches both ends

## Distance From Bore Center To Keyway Bottom:

0.205 inches both ends

## Hub Style Designator:

Plain first end

### Hub Diameter:

0.480 inches first end

## **Precision Classification:**

Quality number 12

#### Material:

Steel comp e9310

## **Material Specification:**

Ams6260 assn standard single material response

# Surface Treatment:

Oxide

## Surface Treatment Specification:

Mil-c-13924, class 2 military specification single treatment response

# NSN 3020-00-033-6847

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-13924 spec.

