## NSN 3020-00-037-5691

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-037-5691

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Serration Quantity:
16 both ends
Pitch Diameter:
1.1667 inches
Teeth Quantity:
7
Bore Style:
Serrated both ends
Serration Pitch Diameter:
0.5000 inches both ends
Backlash Designation:
Grade a
Hardness Rating:
79.0 rockwell a and 85.0 rockwell a teeth
Mounting Hole Type And Quantity:
1 counterbored transversely through hub, first end
Outside Diameter:
1.500 inches
Nominallength:
1.020 inches
Tooth Form:
Standard
Pressure Angle:
28.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.460 inches first end
Face Width:
0.560 inches
Hub Style Designator:
Plain first end
Hub Diameter:
0.670 inches first end
Precision Classification:
Quality number 14
Mounting Hole Diameter:
0.590 inches transversely through hub, first end
Material:

Steel comp e9310

## NSN 3020-00-037-5691

Spur Gear - Page 2 of 2



Material Specification
------------------------

Ams 6260 assn standard single material response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300