NSN 3020-00-037-9581



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-037-9581 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 12 both ends Pitch Diameter: 4.3333 inches **Teeth Quantity:** 52 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.6000 inches both ends **Hardness Rating:** 90.0 rockwell superficial 15-n and 91.5 rockwell superficial 15-n **Outside Diameter: 4.498** inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.876 inches first end **Face Width:** 0.400 inches **Bore Diameter:** 0.695 inches both ends **Hub Style Designator:** 1 step both ends **End Length:** 0.690 inches second end **End Diameter:** 1.378 inches second end First Step Length: 1.376 inches first end First Step Diameter: 1.535 inches second end Material: Steel comp e9310

Material Specification:

Ams6265 assn standard single material response

Surface Treatment:

Oxide and chromate

NSN 3020-00-037-9581

Spur Gear - Page 2 of 2



Sty	16	u	=5	ıu	 aı	u	ч.	_

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300