## NSN 3020-00-050-6759



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-050-6759 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.4990 inches and 0.5000 inches **Teeth Quantity:** 18 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.555 inches Nominallength: 0.445 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.325 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** 1 groove first end

**End Diameter:** 

0.435 inches first end

First Groove Width:

0.105 inches first end

**First Groove Diameter:** 

0.420 inches first end

**Distance From End To First Groove:** 

0.215 inches first end

## **NSN 3020-00-050-6759** Spur Gear - Page 2 of 2

A27300



Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t4 federal specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: