NSN 3020-00-051-6402

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-051-6402

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.4990 inches and 0.5000 inches
Teeth Quantity:
24
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
1 plain axially through flange
Outside Diameter:
0.541 inches
Tooth Form:
Standard
Flange Diameter:
0.690 inches
Pilot Length:
0.280 inches
Pressure Angle:
20.0000 degrees
Flange Thickness:
0.060 inches
Face Width:
0.095 inches
Bore Diameter:
0.187 inches both ends
Distance Between Outer Body Face And Inner Flange Face:
0.5000 inches
Hub Style Designator:
Plain first end
Hub Diameter:
0.400 inches between body and flange
Precision Classification:
Quality number 10 or quality number 11
Pilot Diameter:
0.4000 inches
Mounting Hole Diameter:
0.043 inches axially through body, first end
Bolt Hole Circle Diameter:

0.500 inches axially through flange

NSN 3020-00-051-6402 Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response
Style Designator:
Flanged end with pilot
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No