## NSN 3020-00-052-5306

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-052-5306

## **Body Style:** Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** Between 1.4990 inches and 1.5000 inches **Teeth Quantity:** 72 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end Mounting Hole Type And Quantity: 1 threaded transversely through hub, first end **Outside Diameter:** 1.541 inches Nominallength: 0.295 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.202 inches first end Face Width: 0.093 inches **Bore Diameter:** 0.187 inches both ends **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Aluminum alloy 6061 **Material Specification:** Qq-a-225/8, t6 federal specification single material response **Style Designator:** Protruding hub Shelf Life: N/a Unit Of Measure:

---

## NSN 3020-00-052-5306

Spur Gear - Page 2 of 2

Demilitarization:

No

Fiig:

A27300

