NSN 3020-00-052-5433



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-052-5433 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.5407 inches and 1.5417 inches **Teeth Quantity:** 74 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.582 inches Nominallength: 0.315 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.222 inches first end **Face Width:** 0.093 inches **Bore Diameter:**

0.250 inches both ends

Hub Style Designator:

Plain first end

Hub Diameter:

0.435 inches first end

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8, t6 federal specification single material response

Surface Treatment:

Anodize

NSN 3020-00-052-5433

Spur Gear - Page 2 of 2



Sty	۹	De	sin	ına	tor	•
OLy:			JIG	Jiiu	w	•

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300