NSN 3020-00-052-6334

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-052-6334 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.073 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.646 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.109 inches first end **Face Width:** 0.031 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.250 inches first end **Precision Classification:** Quality number 10 Material: Copper alloy 462 or copper alloy 464 or copper alloy 482 or copper alloy 485 **Material Specification:** Qq-b-613 federal specification single material response **Style Designator:** Hubless

N/a

Shelf Life:

NSN 3020-00-052-6334 Spur Gear - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

Demilitarization:

No

Fiig:

A27300