## NSN 3020-00-053-8625



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-053-8625 **Body Style:** Plain, solid **Pitch Diameter:** Between 2.0302 inches and 2.0312 inches **Teeth Quantity:** 130 **Bore Style:** Plain both ends **Outside Diameter:** 2.062 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Steel comp 302 **Material Specification:** Mil-s-7720, comp 302 military specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35, type 2 federal specification single treatment response **Style Designator:** Protruding hub Shelf Life: N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 3020-00-053-8625

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.