NSN 3020-00-056-8876

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-056-8876 **Attachment Method:** Mounting hole Pitch Diameter: 1.5000 inches **Teeth Quantity:** 144 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.519 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.187 inches both ends **Precision Classification:** Quality number 12 Material: Steel comp 416 body **Material Specification:** Aisi 416/sae 51416 federal standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-std-171 military standard single treatment response **Style Designator:** Protruding hub Shelf Life:

N/a

Unit Of Measure:

NSN 3020-00-056-8876

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.