## NSN 3020-00-057-7351

Spur Gear - Page 1 of 2

**Body Style:**Webbed, solid



View Online at https://aerobasegroup.com/nsn/3020-00-057-7351

Attachment Method:
Mounting hole
Pitch Diameter:
2.0830 inches
Teeth Quantity:
100
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
2.125 inches
Nominallength:
0.493 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.305 inches first end
Body Recess Depth:
Body Recess Depth: 0.050 inches second end
0.050 inches second end
0.050 inches second end  Face Width:
0.050 inches second end  Face Width:  0.187 inches
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator:  Plain first end
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification:  Quality number 10 or quality number 11
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification: Quality number 10 or quality number 11  Mounting Hole Diameter:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification: Quality number 10 or quality number 11  Mounting Hole Diameter: 0.065 inches transversely through hub, first end
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification: Quality number 10 or quality number 11  Mounting Hole Diameter: 0.065 inches transversely through hub, first end  Material:
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification:  Quality number 10 or quality number 11  Mounting Hole Diameter: 0.065 inches transversely through hub, first end  Material:  Steel comp 303
0.050 inches second end  Face Width: 0.187 inches  Bore Diameter: 1.047 inches both ends  Hub Style Designator: Plain first end  Hub Diameter: 1.232 inches first end  Precision Classification: Quality number 10 or quality number 11  Mounting Hole Diameter: 0.065 inches transversely through hub, first end  Material: Steel comp 303  Material Specification:

## NSN 3020-00-057-7351

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub, recessed body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300

Mil-std (military Standard):

Mil-s-7720 spec.