## NSN 3020-00-057-8672



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-057-8672 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.6667 inches **Teeth Quantity:** 160 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end Nominallength: 0.276 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.187 inches first end **Face Width:** 0.094 inches **Bore Diameter:** 0.187 inches both ends **Hub Diameter:** 0.370 inches first end **Precision Classification:** Quality number 12 **Special Features:** Alignment hole on bolt circle diameter of 0.6250 located onface of gear Material: Aluminum alloy 2024 **Material Specification:** Qq-a-225/6, t4 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** 

Mil-a-8625, type 1 military specification single treatment response

**Style Designator:** 

Protruding hub

## NSN 3020-00-057-8672

Spur Gear - Page 2 of 2



N/a	
Unit Of	Measure:

Shelf Life:

Demilitarization:

No

**Fiig:** A27300

Mil-std (military Standard):

Mil-a-8625 spec.