NSN 3020-00-057-8673

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-057-8673 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.0417 inches **Teeth Quantity:** 100 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.061 inches Nominallength: 0.276 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.187 inches first end **Face Width:** 0.094 inches **Bore Diameter:** 0.187 inches both ends **Hub Diameter:** 0.370 inches first end **Precision Classification:** Quality number 12 **Special Features:** Alignment hole on face of gear with bolt circle diameter of 0.3750 Material: Aluminum alloy 2024 **Material Specification:** Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

NSN 3020-00-057-8673

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-a-8625 spec.