# NSN 3020-00-058-7812

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-058-7812

Plain, solid

**Attachment Method:** 

Mounting hole

# Pitch Diameter:

1.0000 inches

#### **Teeth Quantity:**

64

Bore Style:

Plain both ends

#### Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

#### Mounting Hole Thready Qty Per Inch (tpi):

56 transversely through hub, first end

#### Mounting Hole Thread Size:

0.086 inches transversely through hub, first end

# Mounting Hole Type And Quantity:

1 plain transversely through hub, first end and 1 threaded transversely through hub, first end

#### **Outside Diameter:**

1.030 inches

#### Nominallength:

0.312 inches

# Tooth Form:

Standard

# Pressure Angle:

20.0000 degrees

# Distance Between Body Face And Protruding Hub End:

0.187 inches first end

#### Face Width:

0.125 inches

#### Bore Diameter:

0.125 inches both ends

#### Hub Style Designator:

Pinned first end

#### Hub Diameter:

0.312 inches first end

# Mounting Hole Diameter:

0.029 inches transversely through hub, first end

Material:

Steel

#### Surface Treatment:

Passivate

# NSN 3020-00-058-7812

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

