## NSN 3020-00-062-5226

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-062-5226

| Body Style:  |
|--|
| Spoked   |
| Spline Quantity:   |
| 36 both ends   |
| Teeth Quantity:  |
| 64   |
| Bore Style:  |
| Straight spline both ends  |
| Outside Diameter:  |
| 2.128 inches   |
| Teeth Type:  |
| Single helix   |
| Tooth Form:  |
| Standard   |
| Tooth Direction:   |
| Left   |
| Pressure Angle:  |
| 14.5000 degrees  |
| Helix Angle:   |
| 3.5832 degrees   |
| Distance Between Body Face And Protruding Hub End:   |
| 0.310 inches first end   |
| Face Width:  |
| 0.250 inches   |
| Bore Diameter:   |
| 0.532 inches both ends   |
| Hub Style Designator:  |
| Plain second end   |
| Hub Diameter:  |
| 1.000 inches first end   |
| First Groove Width:  |
| 0.048 inches first end   |
| First Groove Diameter:   |
| 0.940 inches first end   |
| Distance From End To First Groove:   |
| 0.067 inches first end   |
| Special Features:  |
| 1st end counterbored 0.800 in. Diameter by 0.310 in. Dp; 1st end hub flatted; 2nd end hub w/2 internal slots |
| Material:  |
| Steel comp 630   |
| Material Specification:  |

material opecification.

Ams 5643, 17-4ph assn standard single material response

## NSN 3020-00-062-5226

Helical Gear - Page 2 of 2



| _        | •     |        | _   |     |     |     |
|----------|-------|--------|-----|-----|-----|-----|
| <b>ن</b> | ırfa  | $\sim$ | Irο | o+n | 20r | ٠.  |
| u        | ai ia | uc.    | 116 | аш  | 161 | IL. |

Passivate

**Style Designator:** 

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300