NSN 3020-00-063-1577

Spur Gear - Page 1 of 2

Plain, with lightening holes

Body Style:



View Online at https://aerobasegroup.com/nsn/3020-00-063-1577

Attachment Method:
Mounting hole
Pitch Diameter:
1.3889 inches
Teeth Quantity:
100
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
1.417 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.126 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.062 inches first end
Precision Classification:
Quality number 13 or quality number 14
End Diameter:
0.250 inches first end
First Step Length:
0.188 inches first end
First Step Diameter:
0.437 inches first end
Mounting Hole Diameter:
0.093 inches axially through body, first end
Bolt Hole Circle Diameter:
0.355 inches axially through body, first end
Material:
Steel comp 304 hub

NSN 3020-00-063-1577

Spur Gear - Page 2 of 2



Material Specification:
Qq-a-225/8, t6 federal specification single material response body
Surface Treatment:
Passivate hub
Surface Treatment Specification:
Mil-a-8625, type 1 military specification single treatment response body
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-a-8625 spec.

Mil-std (military Standard):

A27300