NSN 3020-00-063-1584



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-063-1584 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.0000 inches **Teeth Quantity:** 48 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.062 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 1.042 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.281 inches first end **Face Width:** 0.188 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.031 inches first end **Precision Classification:** Quality number 12 **End Diameter:** 0.343 inches first end First Step Length: 0.250 inches first end

0.500 inches first end

First Step Diameter:

Mounting Hole Diameter:

0.062 inches transversely through hub, first end

NSN 3020-00-063-1584 Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Steel comp 304
Material Specification:
Aisi 304/sae 30304 assn standard single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No