## NSN 3020-00-063-8845

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-063-8845

### **Body Style:**

Plain, with lightening holes

## **Attachment Method:**

Mounting hole

## **Pitch Diameter:**

1.5000 inches

## **Teeth Quantity:**

84

#### Tooth Form:

Standard

#### **Pressure Angle:**

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

#### 0.312 inches first end

Face Width:

#### 0.126 inches

Bore Diameter:

0.250 inches both ends

## End Length:

0.062 inches first end

## **Precision Classification:**

Quality number 6 or quality number 7

## First Step Length:

0.250 inches first end

## First Step Diameter:

0.500 inches first end

## Material:

Steel comp 304 hub

## Material Specification:

Qq-a-225/8, t6 federal specification single material response body

#### Surface Treatment:

Passivate hub

## Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response body

## Style Designator:

Protruding hub

## Shelf Life:

N/a

### Unit Of Measure:

--

## Demilitarization:

No

# NSN 3020-00-063-8845

Spur Gear - Page 2 of 2

**Fiig:** A27300

Mil-std (military Standard):

Mil-a-8625 spec.

