NSN 3020-00-063-8879

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-063-8879

Body Style:

Plain, with lightening holes

Attachment Method:

Mounting hole

Pitch Diameter:

4.0000 inches

Teeth Quantity:

192

Mounting Hole Thread Series Designator:

Unc axially through body, first end

Mounting Hole Thready Qty Per Inch (tpi):

40 axially through body, first end

Outside Diameter:

4.042 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.250 inches first end

Face Width:

0.126 inches

Bore Diameter:

0.250 inches both ends

Hub Diameter:

0.500 inches first end

Precision Classification:

Quality number 13 or quality number 14

Mounting Hole Diameter:

0.062 inches transversely through hub, first end

Surface Treatment:

Passivate hub

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response body

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 3020-00-063-8879

Spur Gear - Page 2 of 2

Fiig: A27300

Mil-std (military Standard):

Mil-a-8625 spec.

