## NSN 3020-00-063-8903

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-063-8903 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 2.3125 inches **Teeth Quantity:** 148 **Mounting Hole Thread Series Designator:** Unc axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 40 axially through body, first end Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end Face Width: 0.126 inches **Bore Diameter:** 0.250 inches both ends **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 9 **Mounting Hole Diameter:** 0.062 inches transversely through hub, first end **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response body **Style Designator:** Protruding hub Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 3020-00-063-8903

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.