## NSN 3020-00-063-8904

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-063-8904

## Body Style:

Plain, with lightening holes

## **Attachment Method:**

Mounting hole

## Pitch Diameter:

1.5000 inches

## **Teeth Quantity:**

72

#### Mounting Hole Thread Series Designator:

Unc axially through body, first end

## Mounting Hole Thready Qty Per Inch (tpi):

40 axially through body, first end

#### **Outside Diameter:**

1.542 inches

#### Nominallength:

0.375 inches

#### Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.250 inches first end

## Face Width:

0.126 inches

## Bore Diameter:

0.250 inches both ends

## Hub Diameter:

0.500 inches first end

## **Precision Classification:**

Quality number 13 or quality number 14

## Mounting Hole Diameter:

0.062 inches transversely through hub, first end

## Surface Treatment:

Passivate hub

## Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response body

## Style Designator:

Protruding hub

## Shelf Life:

N/a

## Unit Of Measure:

--

# NSN 3020-00-063-8904

Spur Gear - Page 2 of 2

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

