NSN 3020-00-063-9083

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-063-9083

Body Style:						
Plain, solid						
Attachment Method:						
Mounting hole						
Pitch Diameter:						
Between 3.6657 inches and 3.6667 inches						
Teeth Quantity:						
132						
Bore Style:						
W/counterbore both ends						
Mounting Hole Type And Quantity:						
2 plain axially through hub, first end						
Outside Diameter:						
3.721 inches						
Tooth Form:						
Standard						
Pressure Angle:						
20.0000 degrees						
Distance Between Body Face And Protruding Hub End:						
0.792 inches first end						
Face Width:						
0.125 inches						
Bore Diameter:						
0.241 inches first end						
Counterbore Depth:						
0.482 inches second end						
Counterbore Diameter:						
1.000 inches second end						
Hub Style Designator:						
1 step first end						
End Length:						
0.310 inches first end						
End Diameter:						
0.620 inches first end						
First Step Length:						
0.482 inches first end						
First Step Diameter:						
1.270 inches first end						
Mounting Hole Diameter:						
0.112 inches axially through hub, first end						
Material:						

water iai

Aluminum alloy 6061

NSN 3020-00-063-9083

Spur Gear - Page 2 of 2



М	ater	ial	Sp	ecifi	icati	on:

Qq-a-225/8, t4 federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300