## NSN 3020-00-065-2328



Internal Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-065-2328 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 4.3750 inches **Teeth Quantity:** 35 **Bore Style:** Plain both ends **Hardness Rating:** 36.0 rockwell c and 40.0 rockwell c **Mounting Hole Type And Quantity:** 16 plain axially through body, first end **Outside Diameter: 4.749** inches Nominallength: 2.370 inches **Teeth Type:** Zerol **Tooth Form:** Standard Pressure Angle: 30.0000 degrees Pitch Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.383 inches first end **Face Width:** 0.550 inches **Bore Diameter:** 0.493 inches both ends **Hub Style Designator:** Plain both ends

Hub Diameter:

0.842 inches both ends

Mounting Hole Diameter:

0.330 inches axially through body, first end

Material:

Steel

Material Specification:

Ams5516 assn standard single material response

## NSN 3020-00-065-2328

Internal Gear - Page 2 of 2



Surface Treatment:
Oxide
Surface Treatment Specification:
Ams2485 assn standard single treatment response
Style Designator:
Solid back ring, protruding hub, recessed hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A27300