## NSN 3020-00-069-0243

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-069-0243

**Body Style:** Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 0.1916 inches **Teeth Quantity:** 23 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unf transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 80 transversely through hub, first end Mounting Hole Thread Size: 0.060 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 0.208 inches Nominallength: 0.125 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.095 inches first end Face Width: 0.030 inches **Bore Diameter:** 0.040 inches both ends Hub Style Designator: Pinned first end **Hub Diameter:** 0.125 inches first end **Precision Classification:** Quality number 10 or quality number 11 **Special Features:** Mounting holes located 180 degrees apart Material: Aluminum alloy 2024

## NSN 3020-00-069-0243

Spur Gear - Page 2 of 2



Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Chromate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300