NSN 3020-00-069-4351



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-069-4351 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.2500 inches **Teeth Quantity:** 20 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.275 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.187 inches first end Material: Steel comp 303 **Material Specification:**

Mil-s-7720, comp 303s military specification single material response

Surface Treatment:

Passivate

NSN 3020-00-069-4351

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-s-7720 spec.