# NSN 3020-00-077-2594

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-077-2594

## **Body Style:**

Plain, solid

## **Attachment Method:**

Clamp

# Pitch Diameter:

0.7812 inches

# **Teeth Quantity:**

75

# Nominallength:

0.386 inches

#### Tooth Form:

Standard

## **Pressure Angle:**

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.297 inches first end

## Face Width:

0.094 inches

## Bore Diameter:

0.187 inches both ends

# Hub Diameter:

0.249 inches first end

# Clamping Surface Length:

0.265 inches first end

# **Precision Classification:**

Quality number 12

## Material:

Aluminum alloy 2024

## Material Specification:

Qq-a-225/6, t4 federal specification single material response

#### Surface Treatment:

Anodize

## Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

## Style Designator:

Protruding hub

Shelf Life:

N/a

## Unit Of Measure:

--

# Demilitarization:

No

# NSN 3020-00-077-2594

Spur Gear - Page 2 of 2

Fiig: A27300 Mil-std (military Standard):

Mil-a-8625 spec.

