NSN 3020-00-078-8650

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-078-8650

Outside Diameter:
1.317 inches
Overall Length:
0.625 inches
Bore Diameter:
0.120 inches
Bore Length:
0.625 inches
Drilled Hole Diameter:
0.125 inches
Pitch Diameter:
1.200 inches
Securing Hole Quantity:
2
Face Width:
0.110 inches
Design Form:
Plain
Bore Type:
Straight
Taper Major Diameter Location:
Aa end
Counterbore Feature:
Not included
Hole Location:
Located on hub portion of gear between face and hub end, 90 degrees apart
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:

15

NSN 3020-00-078-8650 Sprocket Wheel - Page 2 of 2



Asa Standard Chain Number:
25
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.250 inches
Hub End Outside Diameter And Location:
0.750 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.515 inches both ends
Material:
Plastic, mil-p-17091, type 1-canceled
Material:
Plastic polyamide
Material Specification:
Mil-p-17091, type 1-canceled military specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
Т353-с
Mil-std (military Standard):
Mil-p-17091 spec.