NSN 3020-00-084-7088

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-084-7088

| Body Style: |
|--|
| Plain, solid |
| Serration Quantity: |
| 30 both ends |
| Pitch Diameter: |
| 1.0000 inches |
| Teeth Quantity: |
| 24 |
| Bore Style: |
| Serrated both ends |
| Serration Pitch Diameter: |
| 0.6550 inches both ends |
| Hardness Rating: |
| 33.0 rockwell c hub and 43.0 rockwell c hub |
| Outside Diameter: |
| 1.081 inches |
| Nominallength: |
| 0.375 inches |
| Teeth Type: |
| Spiral |
| Tooth Direction: |
| Right |
| Pressure Angle: |
| 20.0000 degrees |
| Pitch Angle: |
| 28.0033 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.216 inches second end |
| Face Width: |
| 0.158 inches |
| Hub Style Designator: |
| Plain first end |
| Hub Diameter: |
| 0.820 inches first end |
| Special Features: |
| Counterbore on 1st end w/ 0.6125 in. Min, 0.6145 in. Maximum dia; 0.1260 in. Min, 0.1340 in. Maximum depth |
| Material: |
| Steel comp e9310 |
| Material Specification: |
| Ams 6260 assn standard single material response |
| Style Designator: |
| Peripheral face, back hub protruding |
| |

NSN 3020-00-084-7088

Bevel Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

