NSN 3020-00-084-7155

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-084-7155

Body Style:
Plain, solid
Spline Quantity:
10 both ends
Attachment Method:
Mounting hole
Pitch Diameter:
0.9167 inches
Teeth Quantity:
22
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
0.2881 inches both ends
Hardness Rating:
33.0 rockwell c hub and 43.0 rockwell c hub
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
1.000 inches
Nominallength:
1.480 inches
Teeth Type:
Zerol
Tooth Direction:
Left
Pressure Angle:
20.0000 degrees
Pitch Angle:
36.3833 degrees
Face Width:
0.205 inches
Bore Diameter:
0.348 inches both ends
Hub Style Designator:
1 step second end
End Length:
0.410 inches second end
End Diameter:
0.357 inches second end
First Step Length:
First Step Length:

0.710 inches second end

NSN 3020-00-084-7155

Bevel Gear - Page 2 of 2

Fiig: A27300



First Step Diameter:
0.472 inches second end
Mounting Hole Diameter:
0.064 inches transversely through hub, first end
Special Features:
$Counterbore \ on \ 1st \ end \ w/\ 0.352 \ in. \ Min, \ 0.362 \ in. \ Maximum \ dia, \ 0.570 \ in. \ Min, \ 0.590 \ in. \ Maximum \ depth$
Material:
Steel comp e9310
Material Specification:
Ams 6260 assn standard single material response
Style Designator:
Peripheral face, back hub protruding
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No