## NSN 3020-00-084-7901

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-084-7901 **Attachment Method:** Clamp Pitch Diameter: 1.0000 inches **Teeth Quantity:** 96 **Bore Style:** Plain both ends **Outside Diameter:** 1.019 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.302 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** Split second end **Precision Classification:** Quality number 12 Material: Aluminum alloy 2024 or aluminum alloy 6061 **Material Specification:** Qq-a-200/3, t4 federal specification 1st material response or qq-a-225/8, t6 federal specification 2nd material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response **Style Designator:** Protruding hub Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig: A27300

No

## NSN 3020-00-084-7901

Spur Antibacklash Gear - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.