NSN 3020-00-089-2377

Sprocket Wheel - Page 1 of 2

Outside Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-089-2377

1.326 inches
Overall Length:
Between 0.351 inches and 0.356 inches
Bore Diameter:
Between 0.812 inches and 0.813 inches
Bore Length:
Between 0.351 inches and 0.356 inches
Pitch Diameter:
1.202 inches
Face Width:
Between 0.103 inches and 0.110 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Lubrication Mode:
No visible means
Keying Facility:
Not included
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
15
Asa Standard Chain Number:
25
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included

NSN 3020-00-089-2377 Sprocket Wheel - Page 2 of 2



Hub External Verman
Hub External Keyway:
Not included
Tooth Pitch:
0.250 inches
Hub End Outside Diameter And Location:
0.937 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.123 inches both ends
Material:
Aluminum alloy, qq-a-225/9, alloy 7075, t6
Material:
Aluminum alloy 7075
Material Specification:
Qq-a-225/9, alloy 7075, t6 federal specification single material response
Surface Treatment:
Anodize
Style Designator:
Plain
Surface Treatment:
Anodized
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T353-c