NSN 3020-00-089-9546

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-089-9546 **Attachment Method:** Clamp Pitch Diameter: 1.3333 inches **Teeth Quantity:** 160 **Bore Style:** Plain both ends **Outside Diameter:** 1.3500 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.186 inches first end **Clamping Surface Length:** 0.250 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 303s or steel comp 303se hub **Material Specification:** Qq-a-268, t4 federal specification 1st material response body and mil-s-7720 military specification 2nd material response body or mil-s-7720 military specification 3rd material response body **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Mil-f-14072 military specification single treatment response hub **Style Designator:** Protruding hub Shelf Life:

N/a

Unit Of Measure:

NSN 3020-00-089-9546

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.