NSN 3020-00-095-8255



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-095-8255

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.4680 inches and 0.4687 inches
Teeth Quantity:
30
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.500 inches
Nominallength:
0.375 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.410 inches first end
Precision Classification:
Quality number 12
Material:
material.

Qq-s-764, type 303, cond a federal specification single material response

Material Specification:

NSN 3020-00-095-8255

Spur Gear - Page 2 of 2



_	•		_	-		
ن	ırfa	\sim	I rc	nter	nor	٠.

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300