NSN 3020-00-096-8844

N/a

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-096-8844

The state of the s
Attachment Method:
Clamp
Pitch Diameter:
Between 2.4990 inches and 2.5000 inches
Teeth Quantity:
160
Bore Style:
Plain both ends
Outside Diameter:
2.530 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.281 inches first end
Face Width:
0.104 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.312 inches first end
Clamping Surface Length:
0.250 inches first end
Precision Classification:
Quality number 10
Special Features:
Three unthd holes through body spaced 90 degrees apart on 1.500 in. Diameter bolt circle, 0.093 in. Diameter on hub side 0.375 in.
Diameter on other side of gear
Material:
Steel comp 303 hub
Material Specification:
Qq-s-764, type 303, cond a federal specification single material response hub
Surface Treatment:
Passivate hub
Surface Treatment Specification:
Qq-p-35, type 1 federal specification single treatment response hub
Style Designator:
Protruding hub
Shelf Life:

NSN 3020-00-096-8844

Spur Antibacklash Gear - Page 2 of 2



Unit Of Meası

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.