NSN 3020-00-096-8844

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-096-8844

Attachment Method:

Clamp

Pitch Diameter:

Between 2.4990 inches and 2.5000 inches

Teeth Quantity:

160

Bore Style:

Plain both ends

Outside Diameter:

2.530 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.281 inches first end

Face Width:

0.104 inches

Bore Diameter:

0.250 inches both ends

Hub Style Designator:

Split first end

Hub Diameter:

0.312 inches first end

Clamping Surface Length:

0.250 inches first end

Precision Classification:

Quality number 10

Special Features:

Three unthd holes through body spaced 90 degrees apart on 1.500 in. Diameter bolt circle, 0.093 in. Diameter on hub side 0.375 in.

Diameter on other side of gear

Material:

Steel comp 303 hub

Material Specification:

Qq-s-764, type 303, cond a federal specification single material response hub

Surface Treatment:

Passivate hub

Surface Treatment Specification:

Qq-p-35, type 1 federal specification single treatment response hub

Style Designator:

Protruding hub

Shelf Life:

N/a

NSN 3020-00-096-8844

Spur Antibacklash Gear - Page 2 of 2

AeroBase Group

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.