NSN 3020-00-102-3750

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-102-3750

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 0.7375 inches **Teeth Quantity:** 59 **Bore Style:** Plain both ends **Backlash Designation:** Grade c Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end Mounting Hole Thread Size: 0.086 inches transversely through hub, first end Mounting Hole Type And Quantity: 1 threaded transversely through hub, first end **Outside Diameter:** 0.762 inches Nominallength: 0.312 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.187 inches first end Face Width: 0.125 inches **Bore Diameter:** 0.125 inches both ends Hub Style Designator: Pinned first end Hub Diameter: 0.375 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Steel comp 303

NSN 3020-00-102-3750

Spur Gear - Page 2 of 2



Material Specification:

Aisi 303/sae 30303 assn standard single material response

Surface Treatment:

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300