NSN 3020-00-102-4313

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-102-4313

View Online at https://aerobasegroup.com/nsn/3020-00-102-4313
Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
7.5294 inches
Teeth Quantity:
64
Bore Style:
W/counterbore counterbore, first end
Mounting Hole Type And Quantity:
8 plain axially through body, first end and 8 plain axially through body, first end
Outside Diameter:
7.7625 inches
Tooth Form:
Special
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.094 inches first end
Body Recess Depth:
0.092 inches second end
Face Width:
0.438 inches
Bore Diameter:
3.688 inches counterbore, first end
Counterbore Depth:
0.250 inches counterbore, first end
Counterbore Diameter:
4.748 inches counterbore, first end
Hub Style Designator:
Plain first end
Hub Diameter:
5.000 inches first end
Mounting Hole Diameter:
0.156 inches axially through body, first end and 0.279 inches axially through body, first end
Bolt Hole Circle Diameter:
4.250 inches axially through body, first end
Material:
Steel
Material Specification:
Fed standard 66, aisi/sae 4340 federal standard single material response

NSN 3020-00-102-4313

Spur Gear - Page 2 of 2

Surface Treatment:

Tin and cadmium

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

